

Character Encoding

Introduction

Jitterbit supports the types of character encoding listed on this page. Character encoding can be set within scripts or within configuration of certain types of endpoints.

To set character encoding using a script, set the appropriate Jitterbit variable to the desired character encoding within a script using either Cloud Studio (see [Jitterbit Variables](#)) or Design Studio (see [Using Global Variables](#)). For example:

```
$jitterbit.source.db.character_encoding="UTF-16"
```

Character encoding can be specified using these Jitterbit variables:

- `jitterbit.source.db.character_encoding`
- `jitterbit.source.text.character_encoding`
- `jitterbit.target.db.character_encoding`
- `jitterbit.target.text.character_encoding`
- `jitterbit.scripting.db.character_encoding`

For reference on each variable, see Cloud Studio [source](#), [target](#), or [scripting](#) Jitterbit variables, or Design Studio [source](#), [target](#), or [scripting](#) Jitterbit variables.

Character encoding can also be set for certain types of endpoints from a field provided within the configuration screen. The specific screen depends on whether you are using Cloud Studio (see [Connectors](#)) or Design Studio (see [Sources and Targets](#)) and include endpoints such as file share, FTP, local storage, and temporary storage.

IBM

IBM Character Encoding	Aliases
ibm-912_P100-1995	ibm-912_P100-1995 ibm-912 ISO-8859-2 ISO_8859-2:1987 latin2 csISOLatin2 iso-ir-101 I2 8859_2 cp912 912 windows-28592

On This Page

- [Introduction](#)
- [IBM](#)
- [ISCII](#)
- [ISO](#)
- [macOS](#)
- [Miscellaneous](#)
- [UTF](#)
- [Windows](#)

Related Articles

- [Jitterbit Variables \(Cloud Studio\)](#)
- [Using Global Variables \(Design Studio\)](#)

Related Topics

- [Advanced Resources](#)
- [Cloud Studio](#)
- [Connectors \(Cloud Studio\)](#)
- [Design Studio](#)
- [Sources and Targets \(Design Studio\)](#)

Last updated: Apr 19, 2019

<p>ibm-913_P100-2000</p>	<p>ibm-913_ibm-913 ISO-8859-3 ISO_8859-3:1988 latin3 csISOLatin3 iso-ir-109 I3 8859_3 cp913 913 windows-28593P100-2000</p>
<p>ibm-914_P100-1995</p>	<p>ibm-914_P100-1995 ibm-914 ISO-8859-4 latin4 csISOLatin4 iso-ir-110 ISO_8859-4:1988 I4 8859_4 cp914 914 windows-28594</p>
<p>ibm-915_P100-1995</p>	<p>ibm-915_P100-1995 ibm-915 ISO-8859-5 cyrillic csISOLatinCyrillic iso-ir-144 ISO_8859-5:1988 8859_5 cp915 915 windows-28595</p>

<p>ibm-1089_P100-1995</p>	<p>ibm-1089_P100-1995</p> <p>ibm-1089</p> <p>ISO-8859-6</p> <p>arabic</p> <p>csISOLatinArabic</p> <p>iso-ir-127</p> <p>ISO_8859-6:1987</p> <p>ECMA-114</p> <p>ASMO-708</p> <p>8859_6</p> <p>cp1089</p> <p>1089</p> <p>windows-28596</p> <p>ISO-8859-6-I</p> <p>ISO-8859-6-E</p>
<p>ibm-9005_X110-2007</p>	<p>ibm-9005_X110-2007</p> <p>ibm-9005</p> <p>ISO-8859-7</p> <p>greek</p> <p>greek8</p> <p>ELOT_928</p> <p>ECMA-118</p> <p>csISOLatinGreek</p> <p>iso-ir-126</p> <p>ISO_8859-7:1987</p> <p>windows-28597</p> <p>sun_eu_greek</p>
<p>ibm-813_P100-1995</p>	<p>ibm-813_P100-1995</p> <p>ibm-813</p> <p>ISO-8859-7</p> <p>greek</p> <p>greek8</p> <p>ELOT_928</p> <p>ECMA-118</p> <p>csISOLatinGreek</p> <p>iso-ir-126</p> <p>ISO_8859-7:1987</p> <p>8859_7</p> <p>cp813</p> <p>813</p>

<p>ibm-5012_P100-1999</p>	<p>ibm-5012_P100-1999</p> <p>ibm-5012</p> <p>ISO-8859-8</p> <p>hebrew</p> <p>csISOLatinHebrew</p> <p>iso-ir-138</p> <p>ISO_8859-8:1988</p> <p>ISO-8859-8-I</p> <p>ISO-8859-8-E</p> <p>8859_8</p> <p>windows-28598</p> <p>hebrew8</p>
<p>ibm-916_P100-1995</p>	<p>ibm-916_P100-1995</p> <p>ibm-916</p> <p>cp916</p> <p>916</p>
<p>ibm-920_P100-1995</p>	<p>ibm-920_P100-1995</p> <p>ibm-920</p> <p>ISO-8859-9</p> <p>latin5</p> <p>csISOLatin5</p> <p>iso-ir-148</p> <p>ISO_8859-9:1989</p> <p>I5</p> <p>8859_9</p> <p>cp920</p> <p>920</p> <p>windows-28599</p> <p>ECMA-128</p> <p>turkish8</p> <p>turkish</p>
<p>ibm-921_P100-1995</p>	<p>ibm-921_P100-1995</p> <p>ibm-921</p> <p>ISO-8859-13</p> <p>8859_13</p> <p>windows-28603</p> <p>cp921</p> <p>921</p>

<p>ibm-923_P100-1998</p>	<p>ibm-923_P100-1998</p> <p>ibm-923</p> <p>ISO-8859-15</p> <p>Latin-9</p> <p>I9</p> <p>8859_15</p> <p>latin0</p> <p>csisolatin0</p> <p>csisolatin9</p> <p>iso8859_15_fdis</p> <p>cp923</p> <p>923</p> <p>windows-28605</p>
<p>ibm-942_P12A-1999</p>	<p>ibm-942_P12A-1999</p> <p>ibm-942</p> <p>ibm-932</p> <p>cp932</p> <p>shift_jis78</p> <p>sjis78</p> <p>ibm-942_VSUB_VPUA</p> <p>ibm-932_VSUB_VPUA</p>
<p>ibm-943_P15A-2003</p>	<p>ibm-943_P15A-2003</p> <p>ibm-943</p> <p>Shift_JIS</p> <p>MS_Kanji</p> <p>csShiftJIS</p> <p>windows-31j</p> <p>csWindows31J</p> <p>x-sjis</p> <p>x-ms-cp932</p> <p>cp932</p> <p>windows-932</p> <p>cp943c</p> <p>IBM-943C</p> <p>ms932</p> <p>pck</p> <p>sjis</p> <p>ibm-943_VSUB_VPUA</p>

ibm-943_P130-1999	ibm-943_P130-1999 ibm-943 Shift_JIS cp943 943 ibm-943_VASCII_VSUB_VPUA
ibm-33722_P12A_P12A-2004_U2	ibm-33722_P12A_P12A-2004_U2 ibm-33722 ibm-5050 EUC-JP Extended_UNIX_Code_Packed_Format_for_Japanese csEUCPkFmtJapanese X-EUC-JP windows-51932 ibm-33722_VPUA IBM-eucJP
ibm-33722_P120-1999	ibm-33722_P120-1999 ibm-33722 ibm-5050 cp33722 33722 ibm-33722_VASCII_VPUA
ibm-954_P101-2007	ibm-954_P101-2007 ibm-954 EUC-JP Extended_UNIX_Code_Packed_Format_for_Japanese csEUCPkFmtJapanese X-EUC-JP eucjis ujis
ibm-1373_P100-2002	ibm-1373_P100-2002 ibm-1373 windows-950
ibm-950_P110-1999	ibm-950_P110-1999 ibm-950 cp950 950

<p>ibm-1375_P100-2007</p>	<p>ibm-1375_P100-2007 ibm-1375 Big5-HKSCS big5hk HKSCS-BIG5</p>
<p>ibm-5471_P100-2006</p>	<p>ibm-5471_P100-2006 ibm-5471 Big5-HKSCS MS950_HKSCS hkbig5 big5-hkscs:unicode3.0</p>
<p>ibm-1386_P100-2001</p>	<p>ibm-1386_P100-2001 ibm-1386 cp1386 windows-936 ibm-1386_VSUB_VPUA</p>
<p>ibm-1383_P110-1999</p>	<p>ibm-1383_P110-1999 ibm-1383 GB2312 csGB2312 cp1383 1383 EUC-CN ibm-eucCN hp15CN ibm-1383_VPUA</p>
<p>ibm-5478_P100-1995</p>	<p>ibm-5478_P100-1995 ibm-5478 GB_2312-80 chinese iso-ir-58 csISO58GB231280 gb2312-1980 GB2312.1980-0</p>

ibm-964_P110-1999	ibm-964_P110-1999 ibm-964 EUC-TW ibm-eucTW cns11643 cp964 964 ibm-964_VPUA
ibm-949_P110-1999	ibm-949_P110-1999 ibm-949 cp949 949 ibm-949_VASCII_VSUB_VPUA
ibm-949_P11A-1999	ibm-949_P11A-1999 ibm-949 cp949c ibm-949_VSUB_VPUA
ibm-970_P110_P110-2006_U2	ibm-970_P110_P110-2006_U2 ibm-970 EUC-KR KS_C_5601-1987 windows-51949 csEUCKR ibm-eucKR KSC_5601 5601 cp970 970 ibm-970_VPUA
ibm-971_P100-1995	ibm-971_P100-1995 ibm-971 ibm-971_VPUA

ibm-1363_P11B-1998	ibm-1363_P11B-1998 ibm-1363 KS_C_5601-1987 KS_C_5601-1989 KSC_5601 csKSC56011987 korean iso-ir-149 cp1363 5601 ksc windows-949 ibm-1363_VSUB_VPUA
ibm-1363_P110-1997	ibm-1363_P110-1997 ibm-1363 ibm-1363_VASCII_VSUB_VPUA
ibm-874_P100-1995	ibm-874_P100-1995 ibm-874 ibm-9066 cp874 TIS-620 tis620.2533 eucTH
ibm-1162_P100-1999	ibm-1162_P100-1999 ibm-1162
ibm-437_P100-1995	ibm-437_P100-1995 ibm-437 IBM437 cp437 437 csPC8CodePage437 windows-437
ibm-720_P100-1997	ibm-720_P100-1997 ibm-720 windows-720 DOS-720

ibm-737_P100-1997	ibm-737_P100-1997 ibm-737 IBM737 cp737 windows-737 737
ibm-775_P100-1996	ibm-775_P100-1996 ibm-775 IBM775 cp775 csPC775Baltic windows-775 775
ibm-850_P100-1995	ibm-850_P100-1995 ibm-850 IBM850 cp850 850 csPC850Multilingual windows-850
ibm-851_P100-1995	ibm-851_P100-1995 ibm-851 IBM851 cp851 851 csPC851
ibm-852_P100-1995	ibm-852_P100-1995 ibm-852 IBM852 cp852 852 csPCp852 windows-852

ibm-855_P100-1995	ibm-855_P100-1995 ibm-855 IBM855 cp855 855 csIBM855 csPCp855 windows-855
ibm-856_P100-1995	ibm-856_P100-1995 ibm-856 IBM856 cp856 856
ibm-857_P100-1995	ibm-857_P100-1995 ibm-857 IBM857 cp857 857 csIBM857 windows-857
ibm-858_P100-1997	ibm-858_P100-1997 ibm-858 IBM00858 CCSID00858 CP00858 PC-Multilingual-850+euro cp858 windows-858
ibm-860_P100-1995	ibm-860_P100-1995 ibm-860 IBM860 cp860 860 csIBM860

ibm-861_P100-1995	ibm-861_P100-1995 ibm-861 IBM861 cp861 861 cp-is csIBM861 windows-861
ibm-862_P100-1995	ibm-862_P100-1995 ibm-862 IBM862 cp862 862 csPC862LatinHebrew DOS-862 windows-862
ibm-863_P100-1995	ibm-863_P100-1995 ibm-863 IBM863 cp863 863 csIBM863
ibm-864_X110-1999	ibm-864_X110-1999 ibm-864 IBM864 cp864 csIBM864
ibm-865_P100-1995	ibm-865_P100-1995 ibm-865 IBM865 cp865 865 csIBM865
ibm-866_P100-1995	ibm-866_P100-1995 ibm-866 IBM866 cp866 866 csIBM866 windows-866

ibm-867_P100-1998	ibm-867_P100-1998 ibm-867
ibm-868_P100-1995	ibm-868_P100-1995 ibm-868 IBM868 CP868 868 csIBM868 cp-ar
ibm-869_P100-1995	ibm-869_P100-1995 ibm-869 IBM869 cp869 869 cp-gr csIBM869 windows-869
ibm-878_P100-1996	ibm-878_P100-1996 ibm-878 KOI8-R koi8 csKOI8R windows-20866 cp878
ibm-901_P100-1999	ibm-901_P100-1999 ibm-901
ibm-902_P100-1999	ibm-902_P100-1999 ibm-902
ibm-922_P100-1999	ibm-922_P100-1999 ibm-922 IBM922 cp922 922
ibm-1168_P100-2002	ibm-1168_P100-2002 ibm-1168 KOI8-U windows-21866
ibm-4909_P100-1999	ibm-4909_P100-1999 ibm-4909

ibm-5346_P100-1998	ibm-5346_P100-1998 ibm-5346 windows-1250 cp1250
ibm-5347_P100-1998	ibm-5347_P100-1998 ibm-5347 windows-1251 cp1251 ANSI1251
ibm-5348_P100-1997	ibm-5348_P100-1997 ibm-5348 windows-1252 cp1252
ibm-5349_P100-1998	ibm-5349_P100-1998 ibm-5349 windows-1253 cp1253
ibm-5350_P100-1998	ibm-5350_P100-1998 ibm-5350 windows-1254 cp1254
ibm-9447_P100-2002	ibm-9447_P100-2002 ibm-9447 windows-1255 cp1255
ibm-9448_X100-2005	ibm-9448_X100-2005 ibm-9448 windows-1256 cp1256
ibm-9449_P100-2002	ibm-9449_P100-2002 ibm-9449 windows-1257 cp1257
ibm-5354_P100-1998	ibm-5354_P100-1998 ibm-5354 windows-1258 cp1258
ibm-1250_P100-1995	ibm-1250_P100-1995 ibm-1250 windows-1250

ibm-1251_P100-1995	ibm-1251_P100-1995 ibm-1251 windows-1251
ibm-1252_P100-2000	ibm-1252_P100-2000 ibm-1252 windows-1252
ibm-1253_P100-1995	ibm-1253_P100-1995 ibm-1253 windows-1253
ibm-1254_P100-1995	ibm-1254_P100-1995 ibm-1254 windows-1254
ibm-1255_P100-1995	ibm-1255_P100-1995 ibm-1255
ibm-5351_P100-1998	ibm-5351_P100-1998 ibm-5351 windows-1255
ibm-1256_P110-1997	ibm-1256_P110-1997 ibm-1256
ibm-5352_P100-1998	ibm-5352_P100-1998 ibm-5352 windows-1256
ibm-1257_P100-1995	ibm-1257_P100-1995 ibm-1257
ibm-5353_P100-1998	ibm-5353_P100-1998 ibm-5353 windows-1257
ibm-1258_P100-1997	ibm-1258_P100-1997 ibm-1258 windows-1258
ibm-1051_P100-1995	ibm-1051_P100-1995 ibm-1051 hp-roman8 roman8 r8 csHPRoman8
ibm-1276_P100-1995	ibm-1276_P100-1995 ibm-1276 Adobe-Standard-Encoding csAdobeStandardEncoding

ibm-1006_P100-1995	ibm-1006_P100-1995 ibm-1006 IBM1006 cp1006 1006
ibm-1098_P100-1995	ibm-1098_P100-1995 ibm-1098 IBM1098 cp1098 1098
ibm-1124_P100-1996	ibm-1124_P100-1996 ibm-1124 cp1124 1124
ibm-1125_P100-1997	ibm-1125_P100-1997 ibm-1125 cp1125
ibm-1129_P100-1997	ibm-1129_P100-1997 ibm-1129
ibm-1131_P100-1997	ibm-1131_P100-1997 ibm-1131 cp1131
ibm-1133_P100-1997	ibm-1133_P100-1997 ibm-1133
ibm-37_P100-1995	ibm-37_P100-1995 ibm-37 IBM037 ibm-037 ebcdic-cp-us ebcdic-cp-ca ebcdic-cp-wt ebcdic-cp-nl csIBM037 cp037 37 cpibm37 cp37

<p>ibm-273_P100-1995</p>	<p>ibm-273_P100-1995</p> <p>ibm-273</p> <p>IBM273</p> <p>CP273</p> <p>csIBM273</p> <p>ebcdic-de</p> <p>273</p>
<p>ibm-277_P100-1995</p>	<p>ibm-277_P100-1995</p> <p>ibm-277</p> <p>IBM277</p> <p>cp277</p> <p>EBCDIC-CP-DK</p> <p>EBCDIC-CP-NO</p> <p>csIBM277</p> <p>ebcdic-dk</p> <p>277</p>
<p>ibm-278_P100-1995</p>	<p>ibm-278_P100-1995</p> <p>ibm-278</p> <p>IBM278</p> <p>cp278</p> <p>ebcdic-cp-fi</p> <p>ebcdic-cp-se</p> <p>csIBM278</p> <p>ebcdic-sv</p> <p>278</p>
<p>ibm-280_P100-1995</p>	<p>ibm-280_P100-1995</p> <p>ibm-280</p> <p>IBM280</p> <p>CP280</p> <p>ebcdic-cp-it</p> <p>csIBM280</p> <p>280</p>
<p>ibm-284_P100-1995</p>	<p>ibm-284_P100-1995</p> <p>ibm-284</p> <p>IBM284</p> <p>CP284</p> <p>ebcdic-cp-es</p> <p>csIBM284</p> <p>cpibm284</p> <p>284</p>

<p>ibm-285_P100-1995</p>	<p>ibm-285_P100-1995</p> <p>ibm-285</p> <p>IBM285</p> <p>CP285</p> <p>ebcdic-cp-gb</p> <p>csIBM285</p> <p>cpibm285</p> <p>ebcdic-gb</p> <p>285</p>
<p>ibm-290_P100-1995</p>	<p>ibm-290_P100-1995</p> <p>ibm-290</p> <p>IBM290</p> <p>cp290</p> <p>EBCDIC-JP-kana</p> <p>csIBM290</p>
<p>ibm-297_P100-1995</p>	<p>ibm-297_P100-1995</p> <p>ibm-297</p> <p>IBM297</p> <p>cp297</p> <p>ebcdic-cp-fr</p> <p>csIBM297</p> <p>cpibm297</p> <p>297</p>
<p>ibm-420_X120-1999</p>	<p>ibm-420_X120-1999</p> <p>ibm-420</p> <p>IBM420</p> <p>cp420</p> <p>ebcdic-cp-ar1</p> <p>csIBM420</p> <p>420</p>
<p>ibm-424_P100-1995</p>	<p>ibm-424_P100-1995</p> <p>ibm-424</p> <p>IBM424</p> <p>cp424</p> <p>ebcdic-cp-he</p> <p>csIBM424</p> <p>424</p>

ibm-500_P100-1995	ibm-500_P100-1995 ibm-500 IBM500 CP500 ebcdic-cp-be csIBM500 ebcdic-cp-ch 500
ibm-803_P100-1999	ibm-803_P100-1999 ibm-803 cp803
ibm-838_P100-1995	ibm-838_P100-1995 ibm-838 IBM838 IBM-Thai csIBMThai cp838 838 ibm-9030
ibm-870_P100-1995	ibm-870_P100-1995 ibm-870 IBM870 CP870 ebcdic-cp-roece ebcdic-cp-yu csIBM870
ibm-871_P100-1995	ibm-871_P100-1995 ibm-871 IBM871 ebcdic-cp-is csIBM871 CP871 ebcdic-is 871
ibm-875_P100-1995	ibm-875_P100-1995 ibm-875 IBM875 cp875 875

ibm-918_P100-1995	ibm-918_P100-1995 ibm-918 IBM918 CP918 ebcdic-cp-ar2 csIBM918
ibm-930_P120-1999	ibm-930_P120-1999 ibm-930 ibm-5026 IBM930 cp930 930
ibm-933_P110-1995	ibm-933_P110-1995 ibm-933 cp933 933
ibm-935_P110-1999	ibm-935_P110-1999 ibm-935 cp935 935
ibm-937_P110-1999	ibm-937_P110-1999 ibm-937 cp937 937
ibm-939_P120-1999	ibm-939_P120-1999 ibm-939 ibm-931 ibm-5035 IBM939 cp939 939
ibm-1025_P100-1995	ibm-1025_P100-1995 ibm-1025 cp1025 1025

ibm-1026_P100-1995	ibm-1026_P100-1995 ibm-1026 IBM1026 CP1026 csIBM1026 1026
ibm-1047_P100-1995	ibm-1047_P100-1995 ibm-1047 IBM1047 cp1047 1047
ibm-1097_P100-1995	ibm-1097_P100-1995 ibm-1097 cp1097 1097
ibm-1112_P100-1995	ibm-1112_P100-1995 ibm-1112 cp1112 1112
ibm-1122_P100-1999	ibm-1122_P100-1999 ibm-1122 cp1122 1122
ibm-1123_P100-1995	ibm-1123_P100-1995 ibm-1123 cp1123 1123
ibm-1130_P100-1997	ibm-1130_P100-1997 ibm-1130
ibm-1132_P100-1998	ibm-1132_P100-1998 ibm-1132
ibm-1137_P100-1999	ibm-1137_P100-1999 ibm-1137
ibm-4517_P100-2005	ibm-4517_P100-2005 ibm-4517

<p>ibm-1140_P100-1997</p>	<p>ibm-1140_P100-1997</p> <p>ibm-1140</p> <p>IBM01140</p> <p>CCSID01140</p> <p>CP01140</p> <p>cp1140</p> <p>ebcdic-us-37+euro</p>
<p>ibm-1141_P100-1997</p>	<p>ibm-1141_P100-1997</p> <p>ibm-1141</p> <p>IBM01141</p> <p>CCSID01141</p> <p>CP01141</p> <p>cp1141</p> <p>ebcdic-de-273+euro</p>
<p>ibm-1142_P100-1997</p>	<p>ibm-1142_P100-1997</p> <p>ibm-1142</p> <p>IBM01142</p> <p>CCSID01142</p> <p>CP01142</p> <p>cp1142</p> <p>ebcdic-dk-277+euro</p> <p>ebcdic-no-277+euro</p>
<p>ibm-1143_P100-1997</p>	<p>ibm-1143_P100-1997</p> <p>ibm-1143</p> <p>IBM01143</p> <p>CCSID01143</p> <p>CP01143</p> <p>cp1143</p> <p>ebcdic-fi-278+euro</p> <p>ebcdic-se-278+euro</p>
<p>ibm-1144_P100-1997</p>	<p>ibm-1144_P100-1997</p> <p>ibm-1144</p> <p>IBM01144</p> <p>CCSID01144</p> <p>CP01144</p> <p>cp1144</p> <p>ebcdic-it-280+euro</p>

ibm-1145_P100-1997	ibm-1145_P100-1997 ibm-1145 IBM01145 CCSID01145 CP01145 cp1145 ebcdic-es-284+euro
ibm-1146_P100-1997	ibm-1146_P100-1997 ibm-1146 IBM01146 CCSID01146 CP01146 cp1146 ebcdic-gb-285+euro
ibm-1147_P100-1997	ibm-1147_P100-1997 ibm-1147 IBM01147 CCSID01147 CP01147 cp1147 ebcdic-fr-297+euro
ibm-1148_P100-1997	ibm-1148_P100-1997 ibm-1148 IBM01148 CCSID01148 CP01148 cp1148 ebcdic-international-500+euro
ibm-1149_P100-1997	ibm-1149_P100-1997 ibm-1149 IBM01149 CCSID01149 CP01149 cp1149 ebcdic-is-871+euro
ibm-1153_P100-1999	ibm-1153_P100-1999 ibm-1153
ibm-1154_P100-1999	ibm-1154_P100-1999 ibm-1154

ibm-1155_P100-1999	ibm-1155_P100-1999 ibm-1155
ibm-1156_P100-1999	ibm-1156_P100-1999 ibm-1156
ibm-1157_P100-1999	ibm-1157_P100-1999 ibm-1157
ibm-1158_P100-1999	ibm-1158_P100-1999 ibm-1158
ibm-1160_P100-1999	ibm-1160_P100-1999 ibm-1160
ibm-1164_P100-1999	ibm-1164_P100-1999 ibm-1164
ibm-1364_P110-2007	ibm-1364_P110-2007 ibm-1364
ibm-1371_P100-1999	ibm-1371_P100-1999 ibm-1371
ibm-1388_P103-2001	ibm-1388_P103-2001 ibm-1388 ibm-9580
ibm-1390_P110-2003	ibm-1390_P110-2003 ibm-1390
ibm-1399_P110-2003	ibm-1399_P110-2003 ibm-1399
ibm-5123_P100-1999	ibm-5123_P100-1999 ibm-5123
ibm-8482_P100-1999	ibm-8482_P100-1999 ibm-8482
ibm-16684_P110-2003	ibm-16684_P110-2003 ibm-16684 ibm-20780
ibm-4899_P100-1998	ibm-4899_P100-1998 ibm-4899
ibm-4971_P100-1999	ibm-4971_P100-1999 ibm-4971
ibm-9067_X100-2005	ibm-9067_X100-2005 ibm-9067
ibm-12712_P100-1998	ibm-12712_P100-1998 ibm-12712 ebcdic-he

ibm-16804_X110-1999	ibm-16804_X110-1999 ibm-16804 ebcdic-ar
ibm-37_P100-1995,swaplfnl	ibm-37_P100-1995,swaplfnl ibm-37-s390
ibm-1047_P100-1995,swaplfnl	ibm-1047_P100-1995,swaplfnl ibm-1047-s390
ibm-1140_P100-1997,swaplfnl	ibm-1140_P100-1997,swaplfnl ibm-1140-s390
ibm-1142_P100-1997,swaplfnl	ibm-1142_P100-1997,swaplfnl ibm-1142-s390
ibm-1143_P100-1997,swaplfnl	ibm-1143_P100-1997,swaplfnl ibm-1143-s390
ibm-1144_P100-1997,swaplfnl	ibm-1144_P100-1997,swaplfnl ibm-1144-s390
ibm-1145_P100-1997,swaplfnl	ibm-1145_P100-1997,swaplfnl ibm-1145-s390
ibm-1146_P100-1997,swaplfnl	ibm-1146_P100-1997,swaplfnl ibm-1146-s390
ibm-1147_P100-1997,swaplfnl	ibm-1147_P100-1997,swaplfnl ibm-1147-s390
ibm-1148_P100-1997,swaplfnl	ibm-1148_P100-1997,swaplfnl ibm-1148-s390
ibm-1149_P100-1997,swaplfnl	ibm-1149_P100-1997,swaplfnl ibm-1149-s390
ibm-1153_P100-1999,swaplfnl	ibm-1153_P100-1999,swaplfnl ibm-1153-s390
ibm-12712_P100-1998,swaplfnl	ibm-12712_P100-1998,swaplfnl ibm-12712-s390
ibm-16804_X110-1999,swaplfnl	ibm-16804_X110-1999,swaplfnl ibm-16804-s390

[\[Back to Top\]](#)

ISCII

ISCII Character Encoding	Alias
ISCII,version=0	ISCII,version=0
	x-iscii-de
	windows-57002
	iscii-dev
	ibm-4902

ISCII,version=1	ISCII,version=1
	x-iscii-be
	windows-57003
	iscii-bng
	windows-57006
	x-iscii-as
ISCII,version=2	ISCII,version=2
	x-iscii-pa
	windows-57011
	iscii-gur
ISCII,version=3	ISCII,version=3
	x-iscii-gu
	windows-57010
	iscii-guj
ISCII,version=4	ISCII,version=4
	x-iscii-or
	windows-57007
	iscii-ori
ISCII,version=5	ISCII,version=5
	x-iscii-ta
	windows-57004
	iscii-tml
ISCII,version=6	ISCII,version=6
	x-iscii-te
	windows-57005
	iscii-tlg
ISCII,version=7	ISCII,version=7
	x-iscii-ka
	windows-57008
	iscii-knd
ISCII,version=8	ISCII,version=8
	x-iscii-ma
	windows-57009
	iscii-mlm

[\[Back to Top\]](#)

ISO

ISO Character Encoding	Aliases
ISO-8859-1	ISO-8859-1
	ibm-819

	IBM819
	cp819
	latin1
	8859_1
	csISOLatin1
	iso-ir-100
	ISO_8859-1:1987
	I1
	819
iso-8859_10-1998	iso-8859_10-1998
	ISO-8859-10
	iso-ir-157
	I6
	ISO_8859-10:1992
	csISOLatin6
	latin6
iso-8859_11-2001	iso-8859_11-2001
	ISO-8859-11
	thai8
iso-8859_14-1998	iso-8859_14-1998
	ISO-8859-14
	iso-ir-199
	ISO_8859-14:1998
	latin8
	iso-celtic
	I8
ISO_2022,locale=ja,version=0	ISO_2022,locale=ja,version=0
	ISO-2022-JP
	csISO2022JP
ISO_2022,locale=ja,version=1	ISO_2022,locale=ja,version=1
	ISO-2022-JP-1
	JIS_Encoding
	csJISEncoding
	ibm-5054
	JIS
ISO_2022,locale=ja,version=2	ISO_2022,locale=ja,version=2
	ISO-2022-JP-2
	csISO2022JP2
ISO_2022,locale=ja,version=3	ISO_2022,locale=ja,version=3
	JIS7
ISO_2022,locale=ja,version=4	ISO_2022,locale=ja,version=4

	JIS8
ISO_2022,locale=ko,version=0	ISO_2022,locale=ko,version=0
	ISO-2022-KR
	csISO2022KR
ISO_2022,locale=ko,version=1	ISO_2022,locale=ko,version=1
	ibm-25546
ISO_2022,locale=zh,version=0	ISO_2022,locale=zh,version=0
	ISO-2022-CN
	csISO2022CN
ISO_2022,locale=zh,version=1	ISO_2022,locale=zh,version=1
	ISO-2022-CN-EXT

[\[Back to Top\]](#)

macOS

macOS Character Encoding	Aliases
macos-0_2-10.2	macos-0_2-10.2
	macintosh
	mac
	csMacintosh
	windows-10000
	macroman
	x-macroman
macos-6_2-10.4	macos-6_2-10.4
	x-mac-greek
	windows-10006
	macgr
macos-7_3-10.2	macos-7_3-10.2
	x-mac-cyrillic
	windows-10007
	mac-cyrillic
	maccy
macos-29-10.2	macos-29-10.2
	x-mac-centraleurroman
	windows-10029
	x-mac-ce
	macce
	maccentraleurope
macos-35-10.2	macos-35-10.2
	x-mac-turkish
	windows-10081

mactr

[\[Back to Top\]](#)

Miscellaneous

Miscellaneous Character Encoding	Aliases
IMAP-mailbox-name	IMAP-mailbox-name
SCSU	SCSU
	ibm-1212
	ibm-1213
BOCU-1	BOCU-1
	csBOCU-1
	ibm-1214
	ibm-1215
CESU-8	CESU-8
	ibm-9400
US-ASCII	US-ASCII
	ASCII
	ANSI_X3.4-1968
	ANSI_X3.4-1986
	ISO_646.irv:1991
	iso_646.irv:1983
	ISO646-US
	us
	csASCII
	iso-ir-6
	cp367
	ascii7
	646
	windows-20127
	ibm-367
	IBM367
gb18030	gb18030
	ibm-1392
	windows-54936
	GB18030
HZ	HZ
	HZ-GB-2312
LMBCS-1	LMBCS-1
	lmbcs
	ibm-65025

ebcdic-xml-us	ebcdic-xml-us
---------------	---------------

[\[Back to Top\]](#)

UTF

UTF Character Encoding	Aliases
UTF-8	UTF-8
	ibm-1208
	ibm-1209
	ibm-5304
	ibm-5305
	ibm-13496
	ibm-13497
	ibm-17592
	ibm-17593
	windows-65001
	cp1208
UTF-16	UTF-16
	ISO-10646-UCS-2
	ibm-1204
	ibm-1205
	unicode
	csUnicode
	ucs-2
UTF-16BE	UTF-16BE
	x-utf-16be
	UnicodeBigUnmarked
	ibm-1200
	ibm-1201
	ibm-13488
	ibm-13489
	ibm-17584
	ibm-17585
	ibm-21680
	ibm-21681
	ibm-25776
	ibm-25777
	ibm-29872
	ibm-29873
	ibm-61955
	ibm-61956

	windows-1201
	cp1200
	cp1201
	UTF16_BigEndian
UTF-16LE	UTF-16LE
	x-utf-16le
	UnicodeLittleUnmarked
	ibm-1202
	ibm-1203
	ibm-13490
	ibm-13491
	ibm-17586
	ibm-17587
	ibm-21682
	ibm-21683
	ibm-25778
	ibm-25779
	ibm-29874
	ibm-29875
	UTF16_LittleEndian
windows-1200	
UTF-32	UTF-32
	ISO-10646-UCS-4
	ibm-1236
	ibm-1237
	csUCS4
	ucs-4
UTF-32BE	UTF-32BE
	UTF32_BigEndian
	ibm-1232
	ibm-1233
UTF-32LE	UTF-32LE
	UTF32_LittleEndian
	ibm-1234
	ibm-1235
UTF16_PlatformEndian	UTF16_PlatformEndian
UTF16_OppositeEndian	UTF16_OppositeEndian
UTF32_PlatformEndian	UTF32_PlatformEndian
UTF32_OppositeEndian	UTF32_OppositeEndian
UTF-16BE,version=1	UTF-16BE,version=1

	UnicodeBig
UTF-16LE,version=1	UTF-16LE,version=1
	UnicodeLittle
	x-UTF-16LE-BOM
UTF-16,version=1	UTF-16,version=1
UTF-7	UTF-7
	windows-65000

[\[Back to Top\]](#)

Windows

Windows Character Encoding	Aliases
windows-950-2000	windows-950-2000
	Big5
	csBig5
	windows-950
	x-big5
windows-936-2000	windows-936-2000
	GBK
	CP936
	MS936
	windows-936
windows-949-2000	windows-949-2000
	windows-949
	KS_C_5601-1987
	KS_C_5601-1989
	KSC_5601
	csKSC56011987
	korean
	iso-ir-149
	ms949
	windows-874-2000
TIS-620	
windows-874	
MS874	

[\[Back to Top\]](#)