

# Design Studio Main Toolbar

The main toolbar provides access to common functionality used within the system. This functionality is available in the [Main Menu](#). The main toolbar buttons provide access to:

## Related Topics

- [Basics of Design Studio](#)
- [Getting Started](#)

Last updated: Sep 18, 2019

Create a new Operation - create a new project [operation](#) item from this dialog:


### Select Type








**SELECT TYPE**

**Operation Activity**

What do you want this operation to do?

- Transformation
- Script
- Archive
- Web Service Call
- Hosted Web Service
- API Entity Operation
- XSLT Operation
- Autodesk Fusion Lifecycle
- CLARIZEN
- Four51
- JMS
- Microsoft Dynamics AX
- Microsoft Dynamics CRM
- Microsoft Dynamics GP
- NetSuite
- Oracle EBS
- QuickBooks
- Salesforce Platform Event
- SAP
- SAP IDOC Event
- Siebel
- Workday

	<b>Create a new Transformation</b> - opens the <a href="#">Transformation Wizard</a> to create a new data transformation.
	<b>Create a new Source</b> - opens a screen to create a new data <a href="#">source</a> and select a source type.
	<b>Create a new Target</b> - opens the <a href="#">Web Service Method Wizards</a> screen.
	<b>Create a new Web Service Call</b> - downloads a WSDL and create a new web service call for your operation.
	<b>Create a new HTTP Endpoint</b> - creates a <a href="#">hosted endpoint</a> used to trigger operations.
	<b>Create a new File Format</b> - creates a new <a href="#">file format</a> and select a document type and format.
	<b>Create a new Schedule</b> - creates a new <a href="#">operation schedule</a> and configure its occurrence, frequency and duration.
	<b>Create a new Email Message</b> - creates an <a href="#">email message</a> to be triggered when an operation completes.
	<b>Create a new Script</b> - <a href="#">creates a script</a> to run separately from transformations or to store logic for reuse in various mapping transformations.
	<b>Create a new Project Variable</b> - creates a new <a href="#">project variable</a> .
	<b>Create a new Jitterbit Entity</b> - creates a new <a href="#">Jitterbit Entity</a> based on a database or SAP.
	<b>Create a new XSLT Transformation</b> - creates a new <a href="#">XSLT Transformation</a> .
	<b>Create a new Salesforce Analytics</b> - creates a new set of data for <a href="#">Salesforce Analytics</a> .
	<b>Select a Jitterbit Connect Wizard</b> - starts a <a href="#">Jitterbit Connect wizard</a> . Select a wizard for creating a standard integration, for example Database to Text or XML to Database, or for creating a Salesforce integration.
	When you click the icon, a list of standard and Salesforce integrations appears.
	 <p>The screenshot shows the 'Jitterbit Connect™' wizard interface. It is divided into two columns: 'Salesforce' and 'Standard'. Under 'Salesforce', there are buttons for: Salesforce Org, Salesforce Query, Salesforce Upsert, Salesforce Insert, Salesforce Update, Salesforce Delete, and Salesforce Bulk Process. Under 'Standard', there are buttons for: Database To Database, Database To Text, Database To XML, Text To Database, and XML To Database. A 'Close' button is located at the bottom of the window.</p>

	<p><b>Connector Wizard</b> - access to several different connectors that Jitterbit provides. For information and procedures, see <a href="#">Connectors</a>.</p> <div style="border: 1px solid #ccc; padding: 10px; margin: 10px 0;"> <div style="background-color: #f4a460; color: white; padding: 5px; display: flex; align-items: center;"> <b>Connectors</b> </div> <p><b>Select Connector:</b></p> <div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <ul style="list-style-type: none"> <li style="border: 1px solid #ccc; padding: 5px; margin-bottom: 5px; display: flex; align-items: center;">  Autodesk PLM 360                 </li> <li style="border: 1px solid #ccc; padding: 5px; margin-bottom: 5px; display: flex; align-items: center;">  Microsoft Dynamics AX                 </li> <li style="border: 1px solid #ccc; padding: 5px; margin-bottom: 5px; display: flex; align-items: center;">  Microsoft Dynamics CRM                 </li> <li style="border: 1px solid #ccc; padding: 5px; margin-bottom: 5px; display: flex; align-items: center;">  Microsoft Dynamics GP                 </li> <li style="border: 1px solid #ccc; padding: 5px; margin-bottom: 5px; display: flex; align-items: center; background-color: #f0f0f0;">  NetSuite                 </li> <li style="border: 1px solid #ccc; padding: 5px; margin-bottom: 5px; display: flex; align-items: center;">  Oracle EBS                 </li> <li style="border: 1px solid #ccc; padding: 5px; margin-bottom: 5px; display: flex; align-items: center;">  SAP                 </li> </ul> </div> <div style="width: 45%; text-align: center;"> <p><b>NetSuite</b></p> <ul style="list-style-type: none"> <li style="border: 1px solid #ccc; padding: 5px; margin-bottom: 5px; display: flex; align-items: center;">  NetSuite Endpoint                 </li> <li style="border: 1px solid #ccc; padding: 5px; margin-bottom: 5px; display: flex; align-items: center;">  NetSuite Create                 </li> <li style="border: 1px solid #ccc; padding: 5px; margin-bottom: 5px; display: flex; align-items: center;">  NetSuite Update                 </li> <li style="border: 1px solid #ccc; padding: 5px; margin-bottom: 5px; display: flex; align-items: center;">  NetSuite Upsert                 </li> <li style="border: 1px solid #ccc; padding: 5px; margin-bottom: 5px; display: flex; align-items: center;">  NetSuite Delete                 </li> <li style="border: 1px solid #ccc; padding: 5px; margin-bottom: 5px; display: flex; align-items: center;">  NetSuite Search                 </li> </ul> </div> </div> <div style="text-align: center; margin-top: 10px;"> <span style="border: 1px solid #ccc; padding: 5px 15px; background-color: #0056b3; color: white;">Close</span> </div> </div>
	<p><b>Create a new, empty project</b> - creates a <a href="#">new project</a>.</p>
	<p><b>Save the Active Page</b> - saves the content of the tab or item you have open and are currently editing.</p>
	<p><b>Save All Edited Pages</b> - saves the content in all tabs or items you have edited since they were last saved.</p>
	<p><b>Deploy</b> - deploys a project to Jitterbit Harmony.</p>
	<p><b>Login to Jitterbit Harmony</b>- changes the logged-in user. When you are logged in, this icon is gold-colored. When you are logged off, this icon is grayed out.</p>
	<p><b>Go to the Jitterbit Harmony Portal</b> - opens and logs you into the <a href="#">Jitterbit Harmony Portal</a> in your web browser.</p>