

# GitHub Update File Activity

## Introduction


A GitHub update file activity updates a file at a GitHub repository and is used as a target of an operation. After configuring a GitHub connection, you can configure as many GitHub activities as you like for each GitHub connection.

## Creating a GitHub Activity

From the design canvas, open the **Connectivity** tab of the design component palette:



Within the **Endpoints** filter, click the GitHub connection block to display activities that are available to be used with a GitHub connection:



To update an activity that can be configured, the activity must first be added to an operation on the design canvas. To add an activity to an operation, drag the activity block from the palette to the operation.

For more information about the parts of an operation and adding activities to operations, see [Operation Creation and Configuration](#).

## Accessing Menu Actions

After a GitHub activity has been added to an operation, menu actions for that activity are accessible from the project pane in either the **Workflows** or the **Components** tabs, and from the design canvas:

### On This Page

- [Introduction](#)
- [Creating a GitHub Activity](#)
- [Accessing Menu Actions](#)
- [Configuring a GitHub Update File Activity](#)
  - [Step 1 – Enter Basic Information](#)
  - [Step 2 – Review Data Schema](#)
- [Next Steps](#)

### Related Articles

- [Component Dependencies, Deletion, and Removal](#)
- [Component Deployment](#)
- [Component Palette](#)
- [Design Canvas](#)
- [GitHub Connection](#)
- [GitHub Create File Activity](#)
- [GitHub Delete File Activity](#)
- [GitHub Query File Activity](#)
- [GitHub Registration](#)
- [Operation Creation and Configuration](#)
- [Operation Options](#)
- [Operation Validity](#)
- [Plugins Added to an Activity](#)
- [Project Pane](#)
- [Transformation Creation and Configuration](#)

### Related Topics

- [Cloud Studio](#)
- [Connectors](#)
- [GitHub](#)
- [Operations](#)
- [Scripts](#)
- [Variables](#)

Last updated: Jun 25, 2019

- **Project Pane:** In the **Workflows** or **Components** tab of the project pane, hover over an activity name and click the actions menu icon to open the actions menu.
- **Design Canvas:** Within the operation, click an existing activity block to open the actions menu.

Each of these menu actions is available:

- **View/Edit:** This opens the activity configuration screen for you to configure the activity. For details, see *Configuring a GitHub Update File Activity* later on this page.
- **Delete:** This is used to permanently delete the activity.
- **Rename:** This positions the cursor on the activity name in the project pane for you to make edits.
- **View Dependencies:** This changes the view in the project pane to display any other parts of the project that the activity is dependent on.
- **Remove:** Available only from the actions menu on the design canvas, this removes the activity as a step in the operation without deleting it from the project. When you remove an activity that is adjacent to a transformation, if schemas are provided within that activity, they will no longer be referenced by the transformation. Removed components can be accessed or permanently deleted from the project pane.
- **Deploy:** This deploys the activity and any components it is dependent on.
- **Configurable Deploy:** This opens the deployment screen, where you can select project components to deploy.
- **Add to group:** This opens a prompt to create a new custom group or to add the component to an existing group.
- **Duplicate:** This creates a copy of the activity as a new, unreferenced component. Upon creating the component copy, the cursor is positioned on the component name within the project pane for you to rename the component.


## Configuring a GitHub Update File Activity

Follow these steps to configure a GitHub update file activity:

- Step 1 – Enter Basic Information
- Step 2 – Review Data Schema

### Step 1 – Enter Basic Information


The screenshot shows the configuration interface for a GitHub Update File activity. At the top, it says 'Update File' with a progress indicator showing step 1 of 2. Below are several input fields, each with a variable icon (a square with a 'v') on the right side, indicating that they support global, project, or Jitterbit variables. The fields are: NAME (containing 'Update File'), GITHUB REPOSITORY NAME (containing 'jitterbit/dropbox-connector'), FILE PATH OF FILE TO BE UPDATED (containing 'README.md'), COMMIT MESSAGE (containing 'Updating readme file'), and SHA (containing 'b39bc96fb3e706bd976b77330abe2634159e1470'). At the bottom, there is an orange 'Next' button and a 'Discard Changes' link.

**TIP:** Fields with a variable icon  support using global variables, project variables, and Jitterbit variables. Begin typing an open square bracket [ into the field or click the variable icon to display existing variables to choose from.

- **Name:** Enter a name to use to identify the GitHub update file activity. The name must be unique for each update file activity and must not contain forward slashes (/) or colons (:).
- **GitHub Repository Name:** Enter the name of the repository with the file that is to be updated.
- **File Path of File to Be Updated:** Enter a valid name with path (for example, `path/file.txt`). The path should point to an existing directory on the GitHub server. If no path is entered, the file will be updated at the root of the repository.
- **Commit Message:** Enter a commit message to identify this commit for updating the file in the repository. The commit message should be unique for each update file activity.
- **SHA:** Enter the SHA for the file returned by either the GitHub create file activity after [creating the file](#) or the GitHub query file activity after [querying the file](#).

- **Save & Exit:** If enabled, click to save the configuration for this step and close the activity configuration.
- **Next:** Click to temporarily store the configuration for this step and continue to the next step. The configuration will not be saved until you click the **Finished** button on the last step.
- **Discard Changes:** After making changes, click **Discard Changes** to close the configuration without saving changes made to any step. A message will ask you to confirm that you want to discard changes.

## Step 2 – Review Data Schema



- **Data Schema:** The request and response data schemas for GitHub will be displayed. If the operation uses a transformation, the data schemas will be displayed again later during the transformation mapping process, where you can map to target fields using source objects, scripts, variables, custom values, and more.

The GitHub connector uses the [GitHub REST API v3](#). Refer to the API documentation for information on the fields used in the request and response schemas.

- **Add Plugin(s):** Plugins are Jitterbit- or user-provided applications that extend Harmony's native capabilities. To apply a plugin to the activity, click to expand this section and select the checkbox next to the plugin to be used. For additional instructions on using plugins, including details on setting any required variables used by the plugin, see [Plugins Added to an Activity](#).
- **Back:** Click to temporarily store the configuration for this step and return to the previous step.
- **Finished:** Click to save the configuration for all steps and close the activity configuration.
- **Discard Changes:** After making changes, click **Discard Changes** to close the configuration without saving changes made to any step. A message will ask you to confirm that you want to discard changes.

## Next Steps

After configuring a GitHub update file activity, complete the configuration of the operation by adding and configuring other activities, transformations, or scripts as operation steps. You can also configure an operation's operation settings, which include the ability to chain operations together that are in the same or different workflows.

GitHub update file activities can be used as a target with these operation patterns:

- [Transformation Pattern](#)
- [Two-Transformation Pattern](#) (as the first or second target)

Other patterns are not valid using GitHub update file activities. See the validation patterns on the [Operation Validity](#) page.

To use the activity with scripting functions, write the data to a temporary location and then use that temporary location in the scripting function.

When ready, deploy and run the operation and validate behavior by checking the operation logs.